

GRAUKLOSTER



Danmark: Håndværkervej 5 DK-6270 Tønder Telefon 7471 0436 **Deutschland:** Postfach 32 D-25921 Süderlügum Telefon 040 6558 9516 mail@okholmlighting.dk www.okholmlighting.dk

okholmlighting by carl hansen & søn







GRAUKLOSTER, SCHLESWIG, GERMANY

A successful Danish/German collaboration between architect Jørgen <u>W. Overby</u> and Dipl.-Ing. Martin Jannsen resulted in a unique lighting solution for Graukloster in Schleswig. The solution, adapted to the monastery's historical style, includes many details, such as a reinterpretation of the torch in the form of the GREN wall lamp.

From 1982 to 1984, Danish architect Jørgen W. Overby oversaw the restoration of Graukloster in Schleswig. A couple of decades later, Overby was called upon again, this time for the refurbishment of the monastery after an arson attack. During this project, architect Overby took the opportunity to reassess some of the solutions chosen during the 1982–84 restoration. For the lighting, Overby selected fixtures from the GREN series. He explains:

"The <u>GREN pendants</u> and <u>GREN wall lamps</u> have an incredibly beautiful design, inspired by history in both material and form, where the branch can be seen as a reinterpretation of the torch. The pendants, too, with their brass material, maintain a fine connection to historic church lighting. The torch detail and the interplay between the chosen lighting and the monastery's other design elements make the project unique."

Produkt: GREN Pendant/GREN Wall

Material & finish: GREN Pendant: Polished and lacquered brass. White lacquered (RAL9010) shade. GREN Wall: Polished and lacquered brass

Dimension: GREN Pendant: Ø60cm,H:23cm (w/o lightsource). GREN Wall: Overhang 20cm

Light sources: GREN Pendant: One low-energy bulb in 12W (630lm), 16W (950lm), 20W (1200lm) or 23W (1500lm) and one circular fluorescent tube with digital dimming in 40W (3300lm) or 55W (4200lm). 230V. Socket/holder: E27/2GX13. GREN Wall: 1.3 or 5 clear crown bulbs. Socket/holder: E14. Wattage: Max. 60W. 230V



Lysteknik: GREN Pendant: Upwards, downwards or both. GREN Wall: Clear bulb Suspension: GREN Pendant: Suspended in 3 wires. GREN Wall: Mounted on the wall Safety classifications: GREN Pendant: I. GREN Wall: II Ingress protection: GREN Pendant: IP20. GREN Wall: IP20 Approval: GREN Pendant: CE. GREN Wall: CE Remark: Builder/client: Graukloster and city hall Design: Vilhelmsen, Marxen & Bech-Jensen

Latest update: 17/03-2025