



CRONHAMMAR BOLLARD











CRONHAMMAR BOLLARD

With its robust and clean design, the CRONHAMMAR BOLLARD is well suited for cemeteries and other areas where the primary purpose is to illuminate pathways. The asymmetric, downward-directed light creates an elegant and comfortable ambiance.

The CRONHAMMAR BOLLARD is a rustic yet minimalist fixture that integrates seamlessly into both modern and historical settings. It is available in two versions:

Untreated steel, which will develop a natural rusted patina over time, blending beautifully into natural and rustic environments. Black powder-coated steel, which maintains its simple and discreet surface.

The light distribution provides soft, low-level illumination, sufficient for orientation and creating a sense of safety.

Ideal for cemeteries, pathways, and entrance areas in both private and public spaces. The bollard is named after sculptor and designer Ingvar Cronhammar.

Produkt: CRONHAMMAR BOLLARD

Material & finish: Steel pipe - untreated steel or powder coated in

black (RAL 9005)

Dimension: Steel pipe: 12x12 cm. Height: 132 cm

Light sources: LED, max. 6 W, 230 V

Lysteknik: The bollard emits an asymmetric, downward-directed light. The light point height ensures a well-balanced, glare-free illumination of the terrain.

Suspension: The bollard is mounted with four bolts on a cast-in-

place or buried foundation.

Safety classifications: I.

Ingress protection: IP44.

Approval: CE-marking.

Remark: Available in other surfaces on request



Design: Ingvar Cronhammar

Latest update: 28/02-2025