


JTJ UPLIGHT WALL



Danmark: Håndværkervej 5 DK-6270 Tønder Telefon 7471 0436 **Deutschland:** Postfach 32 D-25921 Süderlügum Telefon 040 6558 9516 mail@okholmlighting.dk www.okholmlighting.dk









JTJ UPLIGHT WALL

The JTJ UPLIGHT WALL is an elegant and distinctive uplight that, with its minimalist design and refined material selection—polished brass combined with sandblasted steel—is suitable for both modern and historic surroundings.

Designed by architect Jørgen Toft Jessen, this fixture has been widely used in a variety of projects.

The available diameters Ø190, Ø255, and Ø300 offer excellent flexibility in creating the desired lighting atmosphere in different spaces while maintaining a consistent product design.

The JTJ UPLIGHT WALL is also available as a chandelier version. See: CHANDELIERS.

Material & finish: Polished and lacquered brass. Wall bracket: sandblasted stainless steel

Dimension: Ø19 cm, Ø25.5 cm, and Ø30 cm. Height: 10 cm or 17.5 cm. Extension: 24.5 cm, 32.5 cm, and 35 cm.

Light sources: Halogen lamp. Socket/holder: E27. Wattage: Max. 60 W(Ø19cm and Ø25,5cm), max. 100W (Ø30cm). 230 V Lysteknik: The wall lamp provides indirect illumination through its bowl-shaped shade/reflector, which directs the light upward, using the ceiling and wall as reflectors. Available in three diameters. Suspension: Mounted on the wall, with a wall arm extension ranging from 24.5 cm to 35 cm. Wiring can be routed either along the wall or through a wall junction box.

Safety classifications: II. Ingress protection: IP20 Approval: CE-marking Remark: JTJ UPLIGHT WALL is also available as a chandelier. See: CHANDELIERS. Design: Jørgen Toft Jessen



Latest update: 17/03-2025