

GREN WALL 1, 3 OR 5 LIGHTS





### **GRENN WALL 1, 3, OR 5 LIGHTS**

The GRENN WALL (1, 3, or 5 lights) belongs to a family of fixtures designed for both wall and ceiling applications. It is particularly suitable for church interiors, foyers, entrance areas, and small or large halls, providing elegant and atmospheric lighting. Its minimalist design allows it to integrate seamlessly into a wide range of interiors and architectural styles.

For optimal installation, the wiring is recommended to be routed through a Ø10 mm pendant tube, mounted with adjustable tube holders. These are available in either white or polished brass.

The GRENN WALL features a highly minimalist design, making it ideal for repetitive installations. It is often used in restorations of historic buildings.

The GRENN WALL is also available as a chandelier.

**Material & finish:** Polished and lacquered brass

**Dimension:** Extension: 20 cm. Height: Typically 180 cm, but depends on the installation location and ceiling height.

**Light sources:** 1, 3 or 5 clear crown bulbs. Socket/holder: E14. Wattage: Max. 60 W. 230 V.

**Lysteknik:** The wall lamp is available with 1, 3, or 5 lights, fitted with exposed candle lamps. Wiring can be routed through a Ø10 mm adjustable conduit tube.

**Safety classifications:** II.

**Ingress protection:** IP20

**Remark:** Customized solutions available upon request  
**Design:** Vilhelmsen, Marxen & Bech-Jensen

**Latest update:** 28/02-2025